



# World Housing Encyclopedia Report

Country: Colombia

Housing Type: Gravity concrete frame buildings (predating seismic codes).

Contributors:

Luis Gonzalo Mejía

Primary Reviewer:

Sergio Alcocer

Created on: 6/5/2002

Last Modified: 6/17/2003

This encyclopedia contains information contributed by various earthquake engineering professionals around the world. All opinions, findings, conclusions, and recommendations expressed herein are those of the various participants, and do not necessarily reflect the views of the Earthquake Engineering Research Institute, the International Association for Earthquake Engineering, the Engineering Information Foundation, John A. Martin & Associates, Inc. or the participants' organizations.

## Table of Contents

---

|                                                                  |    |
|------------------------------------------------------------------|----|
| General Information.....                                         | 1  |
| Architectural Features.....                                      | 2  |
| Socio-Economic Issues.....                                       | 3  |
| Structural Features.....                                         | 5  |
| Evaluation of Seismic Performance and Seismic Vulnerability..... | 9  |
| Earthquake Damage Patterns.....                                  | 12 |
| Building Materials and Construction Process.....                 | 13 |
| Construction Economics.....                                      | 15 |
| Insurance.....                                                   | 16 |
| Seismic Strengthening Technologies.....                          | 17 |
| References.....                                                  | 18 |
| Contributors.....                                                | 19 |
| Figures.....                                                     | 20 |

# 1 General Information

## 1.1 Country

Colombia

## 1.3 Housing Type

Gravity concrete frame buildings (predating seismic codes).

## 1.4 Summary

This is typical multi-family housing construction found in urban areas of Colombia that predates seismic codes. This housing type is widely used and represents 60% of the existing housing stock in Colombia. At the present time, poor people occupy buildings of this type. This type of construction is rather vulnerable to seismic effects due to a limited amount of transverse reinforcement (ties); this is especially true for columns. This structural system is very flexible when subjected to lateral seismic loads. The quality of materials and workmanship is typically rather poor. In many cases, buildings of this type are constructed on a very steep terrain; soil condition is often rather poor.



FIGURE 1: Typical Building

## 1.5 Typical Period of Practice for Buildings of This Construction Type

|                                               |   |
|-----------------------------------------------|---|
| How long has this construction been practiced |   |
| < 25 years                                    |   |
| < 50 years                                    | X |
| < 75 years                                    |   |
| < 100 years                                   |   |
| < 200 years                                   |   |
| > 200 years                                   |   |

|                                             |     |    |
|---------------------------------------------|-----|----|
| Is this construction still being practiced? | Yes | No |
|                                             | X   |    |

Additional Comments: A traditional construction practice followed in the last 50 years.

## 1.6 Region(s) Where Used

This housing type is widely used in Colombia and represents 60% of the existing housing stock.

## 1.7 Urban vs. Rural Construction

|                                            |   |
|--------------------------------------------|---|
| Where is this construction commonly found? |   |
| In urban areas                             | X |
| In rural areas                             |   |
| In suburban areas                          |   |
| Both in rural and urban areas              |   |

Additional Comments: This construction is rarely practiced in rural areas, with a rather small population in the villages (from 15,000 to 35,000 inhabitants).

## 2 Architectural Features

---

### 2.1 Openings

In general, openings (in the walls) have a very limited effect on seismic behavior of the framed construction. The interaction between frames and partitions can be neglected, as the failure of the partitions is expected to occur at the beginning of an earthquake due to other weaknesses.

### 2.2 Siting

|                                                                                        | Yes | No |
|----------------------------------------------------------------------------------------|-----|----|
| Is this type of construction typically found on flat terrain?                          | X   |    |
| Is this type of construction typically found on sloped terrain? (hilly areas)          | X   |    |
| Is it typical for buildings of this type to have common walls with adjacent buildings? |     |    |

The typical separation distance between buildings is meters

### 2.3 Building Configuration

In general the configuration is rectangular.

### 2.4 Building Function

|                                                        |   |
|--------------------------------------------------------|---|
| What is the main function for buildings of this type?  |   |
| Single family house                                    |   |
| Multiple housing units                                 | X |
| Mixed use (commercial ground floor, residential above) |   |
| Other (explain below)                                  |   |

Additional Comments: These buildings may be of mixed use, too.

### 2.5 Means of Escape

Usually buildings of this type do not have any additional means of escape.

### 2.6 Modification of Buildings

Typical modification includes vertical expansion (construction of new stories).

### 3 Socio-Economic Issues

#### 3.1 Patterns of Occupancy

Typically, one family occupies a housing unit; however, in the urban areas inhabited by a poor population, up to 3- 4 families occupy one housing unit.

#### 3.2 Number of Housing Units in a Building

5 units in each building.

Additional Comments: Number of housing units ranges from 5 to 10.

#### 3.3 Average Number of Inhabitants in a Building

| How many inhabitants reside in a typical building of this construction type? | During the day / business hours | During the evening / night |
|------------------------------------------------------------------------------|---------------------------------|----------------------------|
| < 5                                                                          |                                 |                            |
| 5 to 10                                                                      | X                               |                            |
| 10-20                                                                        |                                 |                            |
| > 20                                                                         |                                 | X                          |
| Other                                                                        |                                 |                            |

#### 3.4 Number of Bathrooms or Latrines per Housing Unit

Number of Bathrooms: 2

Number of Latrines: 2

Additional Comments: 2 or 3 bathrooms per housing unit (i.e. apartment).

#### 3.5 Economic Level of Inhabitants

| Economic Status |   | House Price/Annual Income (Ratio) |
|-----------------|---|-----------------------------------|
| Very poor       |   | /                                 |
| Poor            | X | 10000/1500                        |
| Middle Class    | X | 40000/6000                        |
| Rich            |   | /                                 |

Additional Comments: Following is the approximated economic distribution of population in Colombia  
Economic Status % Annual Income (\$US) Very Poor 35 <1000 Poor 35 1000 - 2000 Middle Class 25 2000 - 10000 High Middle Class 4 10000-40000 Rich 1 >40000

#### 3.6 Typical Sources of Financing

| What is the typical source of financing for buildings of this type? |   |
|---------------------------------------------------------------------|---|
| Owner Financed                                                      |   |
| Personal Savings                                                    |   |
| Informal Network: friends and relatives                             |   |
| Small lending institutions/microfinance institutions                |   |
| Commercial banks / mortgages                                        |   |
| Investment pools                                                    |   |
| Combination (explain)                                               | X |
| Government-owned housing                                            |   |
| Other                                                               |   |

Additional Comments: The main source of financing for the poor people is informal network (friends and relatives) and (sometimes) small lending institutions. For the middle class population, the main sources of financing are personal savings and commercial banks.

#### 3.7 Ownership

| Type of Ownership/Occupancy            |   |
|----------------------------------------|---|
| Rent                                   | X |
| Own outright                           | X |
| Own with Debt (mortgage or other)      | X |
| Units owned individually (condominium) | X |
| Owned by group or pool                 |   |
| Long-term lease                        |   |
| Other                                  |   |

## 4 Structural Features

---

### **4.1 Lateral Load-Resisting System**

This type of building frame does not have any earthquake-resisting features.

### **4.2 Gravity Load-Bearing Structure**

Like in a regular frame structure, gravity loads are carried by the joists, which are supported by the girders; the girders transfer the load to the columns. The floor slabs are often constructed using tile blocks and concrete joists and girders. Beams and columns are constructed in a manner typical for reinforced concrete structures.

### 4.3 Type of Structural System

| Material | Type of Load-Bearing Structure   | #  | Subtypes                                                                                   |   |
|----------|----------------------------------|----|--------------------------------------------------------------------------------------------|---|
| Masonry  | Stone masonry walls              | 1  | Rubble stone (field stone) in mud/lime mortar or without mortar (usually with timber roof) |   |
|          |                                  | 2  | Massive stone masonry (in lime or cement mortar)                                           |   |
|          | Earthen walls                    | 3  | Mud walls                                                                                  |   |
|          |                                  | 4  | Mud walls with horizontal wood elements                                                    |   |
|          |                                  | 5  | Adobe block or brick walls                                                                 |   |
|          |                                  | 6  | Rammed earth/Pise construction                                                             |   |
|          | Unreinforced brick masonry walls | 7  | Unreinforced brick masonry in mud or lime mortar                                           |   |
|          |                                  | 8  | Unreinforced brick masonry in mud or lime mortar with vertical posts                       |   |
|          |                                  | 9  | Unreinforced brick masonry in cement or lime mortar (various floor/roof systems)           |   |
|          | Confined masonry                 | 10 | Confined brick/block masonry with concrete posts/tie columns and beams                     |   |
|          | Concrete block masonry walls     | 11 | Unreinforced in lime or cement mortar (various floor/roof systems)                         |   |
|          |                                  | 12 | Reinforced in cement mortar (various floor/roof systems)                                   |   |
|          |                                  | 13 | Large concrete block walls with concrete floors and roofs                                  |   |
| Concrete | Moment resisting frame           | 14 | Designed for gravity loads only (predating seismic codes i.e. no seismic features)         | X |
|          |                                  | 15 | Designed with seismic features (various ages)                                              |   |
|          |                                  | 16 | Frame with unreinforced masonry infill walls                                               |   |
|          |                                  | 17 | Flat slab structure                                                                        |   |
|          |                                  | 18 | Precast frame structure                                                                    |   |
|          |                                  | 19 | Frame with concrete shear walls-dual system                                                |   |
|          |                                  | 20 | Precast prestressed frame with shear walls                                                 |   |
|          | Shear wall structure             | 21 | Walls cast in-situ                                                                         |   |
|          |                                  | 22 | Precast wall panel structure                                                               |   |
| Steel    | Moment resisting frame           | 23 | With brick masonry partitions                                                              |   |
|          |                                  | 24 | With cast in-situ concrete walls                                                           |   |
|          |                                  | 25 | With lightweight partitions                                                                |   |
|          | Braced frame                     | 26 | Concentric                                                                                 |   |
|          |                                  | 27 | Eccentric                                                                                  |   |
| Timber   | Load-bearing timber frame        | 28 | Thatch                                                                                     |   |
|          |                                  | 29 | Post and beam frame                                                                        |   |
|          |                                  | 30 | Walls with bamboo/reed mesh and post (wattle and daub)                                     |   |
|          |                                  | 31 | Wooden frame (with or without infill)                                                      |   |
|          |                                  | 32 | Stud wall frame with plywood/gypsum board sheathing                                        |   |
|          |                                  | 33 | Wooden panel or log construction                                                           |   |
| Various  | Seismic protection systems       | 34 | Building protected with base isolation devices or seismic dampers                          |   |
|          | Other                            | 35 |                                                                                            |   |

#### 4.4 Type of Foundation

| Type               | Description                                      |   |
|--------------------|--------------------------------------------------|---|
| Shallow Foundation | Wall or column embedded in soil, without footing |   |
|                    | Rubble stone (fieldstone) isolated footing       |   |
|                    | Rubble stone (fieldstone) strip footing          |   |
|                    | Reinforced concrete isolated footing             | X |
|                    | Reinforced concrete strip footing                |   |
|                    | Mat foundation                                   |   |
|                    | No foundation                                    |   |
| Deep Foundation    | Reinforced concrete bearing piles                |   |
|                    | Reinforced concrete skin friction piles          |   |
|                    | Steel bearing piles                              |   |
|                    | Wood piles                                       |   |
|                    | Steel skin friction piles                        |   |
|                    | Cast in place concrete piers                     |   |
|                    | Caissons                                         |   |
| Other              |                                                  |   |

#### 4.5 Type of Floor/Roof System

| Material            | Description of floor/roof system                                                                     | Floor | Roof |
|---------------------|------------------------------------------------------------------------------------------------------|-------|------|
| Masonry             | Vaulted                                                                                              |       |      |
|                     | Composite masonry and concrete joist                                                                 | X     |      |
| Structural Concrete | Solid slabs (cast in place or precast)                                                               |       |      |
|                     | Cast in place waffle slabs                                                                           |       |      |
|                     | Cast in place flat slabs                                                                             |       |      |
|                     | Precast joist system                                                                                 |       |      |
|                     | Precast hollow core slabs                                                                            |       |      |
|                     | Precast beams with concrete topping                                                                  |       |      |
|                     | Post-tensioned slabs                                                                                 |       |      |
| Steel               | Composite steel deck with concrete slab                                                              |       |      |
| Timber              | Rammed earth with ballast and concrete or plaster finishing                                          |       |      |
|                     | Wood planks or beams with ballast and concrete or plaster finishing                                  |       |      |
|                     | Thatched roof supported on wood purlins                                                              |       |      |
|                     | Wood single roof                                                                                     |       |      |
|                     | Wood planks or beams that support clay tiles                                                         |       | X    |
|                     | Wood planks or beams that support slate, metal asbestos-cement or plastic corrugated sheets or tiles |       |      |
|                     | Wood plank, plywood or manufactured wood panels on joists supported by beams or walls                |       |      |
| Other               |                                                                                                      |       |      |

Additional Comments: Floors are considered as rigid diaphragms and the roof as a flexible one.

#### 4.6 Typical Plan Dimensions

Length: 20 - 20 meters

Width: 20 - 20 meters

Additional Comments: Width varies from 8 to 10 m.

#### 4.7 Typical Number of Stories

5

#### 4.8 Typical Story Height

2.6 meters

#### 4.9 Typical Span

4.0 meters

Additional Comments: Typical span varies from 3 to 4 m.

#### **4.10 Typical Wall Density**

N/A

#### **4.11 General Applicability of Answers to Questions in Section 4**

This contribution describes a generic construction type.

## 5 Evaluation of Seismic Performance and Seismic Vulnerability

### 5.1 Structural and Architectural Features: Seismic Resistance

| Structural/<br>Architectural<br>Feature | Statement                                                                                                                                                                                                                                                                                                                                                                                                    | True | False | N/A |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|-----|
| Lateral load path                       | The structure contains a complete load path for seismic force effects from any horizontal direction that serves to transfer inertial forces from the building to the foundation.                                                                                                                                                                                                                             |      | X     |     |
| Building configuration                  | The building is regular with regards to both the plan and the elevation.                                                                                                                                                                                                                                                                                                                                     |      | X     |     |
| Roof construction                       | The roof diaphragm is considered to be rigid and it is expected that the roof structure will maintain its integrity, i.e.. shape and form, during an earthquake of intensity expected in this area.                                                                                                                                                                                                          |      | X     |     |
| Floor construction                      | The floor diaphragm(s) are considered to be rigid and it is expected that the floor structure(s) will maintain its integrity, during an earthquake of intensity expected in this area.                                                                                                                                                                                                                       | X    |       |     |
| Foundation performance                  | There is no evidence of excessive foundation movement (e.g. settlement) that would affect the integrity or performance of the structure in an earthquake.                                                                                                                                                                                                                                                    | X    |       |     |
| Wall and frame structures-redundancy    | The number of lines of walls or frames in each principal direction is greater than or equal to 2.                                                                                                                                                                                                                                                                                                            | X    |       |     |
| Wall proportions                        | Height-to-thickness ratio of the shear walls at each floor level is: 1) Less than 25 (concrete walls); 2) Less than 30 (reinforced masonry walls); 3) Less than 13 (unreinforced masonry walls).                                                                                                                                                                                                             |      |       | X   |
| Foundation- wall connection             | Vertical load-bearing elements (columns, walls) are attached to the foundations; concrete columns and walls are doweled into the foundation.                                                                                                                                                                                                                                                                 | X    |       |     |
| Wall-roof connections                   | Exterior walls are anchored for out-of-plane seismic effects at each diaphragm level with metal anchors or straps.                                                                                                                                                                                                                                                                                           |      | X     |     |
| Wall openings                           | The total width of door and window openings in a wall is: 1) for brick masonry construction in cement mortar: less than 1/2 of the distance between the adjacent cross walls; 2) for adobe masonry, stone masonry and brick masonry in mud mortar: less than 1/3 of the distance between the adjacent cross walls; 3) for precast concrete wall structures: less than 3/4 of the length of a perimeter wall. |      |       | X   |
| Quality of building materials           | Quality of building materials is considered to be adequate per requirements of national codes and standards (an estimate).                                                                                                                                                                                                                                                                                   |      | X     |     |
| Quality of workmanship                  | Quality of workmanship (based on visual inspection of few typical buildings) is considered to be good (per local construction standards).                                                                                                                                                                                                                                                                    |      | X     |     |
| Maintenance                             | Buildings of this type are generally well maintained and there are no visible signs of deterioration of building elements (concrete, steel, timber).                                                                                                                                                                                                                                                         |      | X     |     |
| Other                                   |                                                                                                                                                                                                                                                                                                                                                                                                              |      |       |     |

### 5.2 Seismic Features

| Structural Element     | Seismic Deficiency                                                                                                                                                                                                                                                                                                                                                                       | Earthquake-Resilient Features | Earthquake Damage Patterns |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------|
| Various                | -Poor quality of workmanship and materials -Foundation without grade beams (horizontal ties), and built without regard to minimum embedment, especially on a steep terrain.                                                                                                                                                                                                              |                               |                            |
| Frame (columns, beams) | -Vertical irregularity (stepped construction/setbacks) -Small sections of columns and beams (drift problems) -Widely spaced stirrups in beams and columns -Poor anchorage of reinforcement -Columns often interrupted one story below the top level (i.e. there are no columns at the top storey level) -In some cases, there are mixed structural systems e.g. wall and frame structure |                               |                            |
| Roof                   | -Weak roof-to-wall connections<br>-Absence of continuous boundary members                                                                                                                                                                                                                                                                                                                |                               |                            |
| Floors                 | -Usually very flexible floors with missing boundary members chords and collectors.                                                                                                                                                                                                                                                                                                       |                               |                            |

*Additional Comments:* Typical seismic deficiencies related to this type of construction, mainly due to poor construction practices and workmanship, are illustrated in the FIGURES 5A, 5B, 5C, 5D and 5E.

### 5.3 Seismic Vulnerability Rating

| Vulnerability                  |                                                 |   |             |   |   |                                                |
|--------------------------------|-------------------------------------------------|---|-------------|---|---|------------------------------------------------|
|                                | High (Very Poor<br>Seismic<br>Performance)<br>A | B | Medium<br>C | D | E | Low (Excellent<br>Seismic<br>Performance)<br>F |
| Seismic<br>Vulnerability Class | <                                               | 0 | >           |   |   |                                                |

0 - probable value

< - lower bound

> - upper bound

## 6 Earthquake Damage Patterns

---

### 6.1 Past Earthquakes Reported To Affect This Construction

| Year | Earthquake Epicenter                  | Richter magnitude(M) | Maximum Intensity (Indicate Scale e.g. MMI, MSK) |
|------|---------------------------------------|----------------------|--------------------------------------------------|
| 1999 | 4.46N, 75.72W, depth: 17 km (Armenia) | 6                    | IX MMI (ARMENIA)                                 |
| 1995 | 4.1N, 76.62W, depth: 73 km (Pereira)  | 6.4                  | VIII MMI (PEREIRA)                               |
| 1983 | 2.46N, 76.69W, depth: 22 km (Popayán) | 5.5                  | IX MMI (POPAYAN)                                 |
| 1979 | 4.8N, 76.2W, depth: 108 km (Mistrató) | 6.7                  | VIII MMI (MANIZALES)                             |

*Additional Comments:* Most buildings of this type collapsed, killing the inhabitants, especially in the areas with pronounced soil amplification. Typical patterns of earthquake damage are illustrated in FIGURES 6A, 6B, 6C, 6D, and 6E. The figures confirm the importance of good construction practice and its impact on seismic performance.

## 7 Building Materials and Construction Process

### 7.1 Description of Building Materials

| Structural Element                | Building Material                 | Characteristic Strength | Mix Proportions/ Dimensions | Comments                      |
|-----------------------------------|-----------------------------------|-------------------------|-----------------------------|-------------------------------|
| Walls                             |                                   |                         |                             |                               |
| Foundations                       | Reinforced Concrete               | 20.0 MPa                | 1 : 2 : 3                   | Cement/sand/aggregates        |
| Columns                           | Reinforced Concrete               | 20.0 MPa                |                             |                               |
| Floors                            | Concrete slab (hollow tile floor) |                         | 1 : 2 : 3                   | Cement/sand/aggregates        |
| Roof (rafters with Spanish tiles) | Abarco (Cariniana piriformis)     | 9.0 MPa                 | 50 mm X 100 mm              | Sometimes a R.C. slab is used |
| Columns                           | Reinforced concrete               | 20.0 MPa                | 1 : 2 : 3                   | Cement/sand/aggregates        |

### 7.2 Does the builder typically live in this construction type, or is it more typically built by developers or for speculation?

This construction type is built for speculation purposes.

### 7.3 Construction Process

The construction process begins with forming a terrace, followed by the construction of the isolated footings (sometimes piers or piles), columns and floor slab etc. Finally, the partitions are installed and other "finishing work" is carried out. The masons are skilled or semi-skilled. No equipment is used, except for simple tools.

### 7.4 Design/Construction Expertise

The masons involved in the construction are usually skilled and semi-skilled. Architects and engineers participate in the design of buildings of this type built for inhabitants belonging to the middle economic class. However, architects and engineers are not involved in the informal construction developed in areas inhabited by poorer sections of the society.

### 7.5 Building Codes and Standards

|                                                         | Yes | No |
|---------------------------------------------------------|-----|----|
| Is this construction type addressed by codes/standards? | X   |    |

Title of the code or standard: 1984: Colombian Code for Earthquake-Resistant Buildings CCCSR-84. 1998: Colombian Code for Earthquake-Resistant Design and Construction of Buildings NSR-98 Prior to 1984, the ACI and UBC codes were widely used.

Year the first code/standard addressing this type of construction issued: 1984

When was the most recent code/standard addressing this construction type issued? 1998

### 7.6 Role of Engineers and Architects

Often engineers and architects participate in the design phase of the project especially when the buildings are built for the middle class. In such a case, during the construction usually there is a "resident" (architect or engineer) at the site. Unfortunately, he is concerned mainly with the cost of the project. In informal projects developed for poor people engineers and architects do not play any role.

### 7.7 Building Permits and Development Control Rules

|                                                       | Yes | No |
|-------------------------------------------------------|-----|----|
| Building permits are required                         | X   |    |
| Informal construction                                 |     | X  |
| Construction authorized per development control rules | X   |    |

Additional Comments: A very limited attention was paid to seismic aspects of the design in the

construction of buildings of this type (construction of which pre-dated the 1984 seismic code).

## 7.8 Phasing of Construction

|                                                             | Yes | No |
|-------------------------------------------------------------|-----|----|
| Construction takes place over time (incrementally)          | X   |    |
| Building originally designed for its final constructed size |     | X  |

*Additional Comments:* In the urban areas (districts) inhabited by poor population, construction of this type is usually informal and it takes place over time. However, buildings of this type built for the middle class are designed for its final size.

## 7.9 Building Maintenance

|                                                 |   |
|-------------------------------------------------|---|
| Who typically maintains buildings of this type? |   |
| Builder                                         |   |
| Owner(s)                                        | X |
| Renter(s)                                       |   |
| No one                                          |   |
| Other                                           |   |

*Additional Comments:* As a direct consequence of a difficult economic situation of the inhabitants of this construction type, the buildings are seldom maintained.

## 7.10 Process for Building Code Enforcement

After an earthquake, the authorities enforce the use of building codes, however shortly thereafter these regulations are no longer enforced with the same effort.

## 7.11 Typical Problems Associated with this Type of Construction

The lack of adequate transverse reinforcement in beams and columns, the excessive lateral drift, the irregularities and the poor workmanship lead to catastrophic failures of buildings of this type.

## 8 Construction Economics

---

### **8.1 Unit Construction Cost (estimate)**

On the average, 300,000 Col. Pesos/m<sup>2</sup> (150 US dollars/m<sup>2</sup>).

### **8.2 Labor Requirements (estimate)**

When the building is designed for its final size and engineers or architects participate in the construction, it is possible to construct one floor per month on the average.

## 9 Insurance

---

### 9.1 Insurance Issues

|                                                                                                                                                                           | Yes | No |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| Earthquake insurance for this construction type is typically available                                                                                                    | X   |    |
| Insurance premium discounts or higher coverages are available for seismically strengthened buildings or new buildings built to incorporate seismically resistant features |     | X  |

*Additional Comments:* A few years ago, it was not possible to buy earthquake insurance; however, at the present time it is possible to buy earthquake insurance for engineered buildings.

### 9.2 If earthquake insurance is available, what does this insurance typically cover/cost?

Although there are many unclear aspects in this matter, in general the insurance covers the previously fixed value of the building. The cost of insurance varies from 0.1 to 0.15% of the total building value.

## 10 Seismic Strengthening Technologies

### 10.1 Description of Seismic Strengthening Provisions

| Type of intervention        | Structural Deficiency | Description of seismic strengthening provision used                                                          |
|-----------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------|
| Retrofit<br>(Strengthening) | Beams and columns     | Technique #1: Addition of stirrups to avoid brittle failure of concrete columns and beams (FIGURE 7A)        |
|                             | Null                  | Technique #2: Installation of new longitudinal and transverse reinforcement in columns (FIGURE 7B)           |
|                             | Null                  | Technique #3: Installation of new longitudinal and transverse reinforcement in beams and columns (FIGURE 7C) |

*Additional Comments:* The procedures illustrated below are not complex in design or construction, however they require good planning and a perfect coordination between the owner, the designer and the builder. It is important to note that there are different grades of difficulty with respect to the effectiveness among the techniques #1, 2, and 3 shown on Figures 7A, 7B and 7C respectively. For example, the technique #1 is considerably simpler in terms of construction as compared with the technique #3, however it is also much less effective as compared to the technique #3. In addition to the above techniques, new seismic strengthening techniques using carbon fibers are also in use.

### 10.2 Has seismic strengthening described in the above table been performed in design practice, and if so, to what extent?

Yes. Seismic strengthening has been used in practice by the author of this contribution, as illustrated in Figure 7A.

### 10.3 Was the work done as a mitigation effort on an undamaged building, or as repair following earthquake damage?

The work was done as a mitigation effort.

### 10.4 Was the construction inspected in the same manner as new construction?

Yes.

### 10.5 Who performed the construction: a contractor, or owner/user? Was an architect or engineer involved?

The work was performed by a contractor and an engineer was involved.

### 10.6 What has been the performance of retrofitted buildings of this type in subsequent earthquakes?

There were no major earthquake after the strengthening was performed, however the performance in moderate earthquakes has been very good.

## 11 References

---

Colombian Code for Earthquake Resistant Design and Construction of Buildings (CCCSR-84 and NSR-98)

Mejia, Luis Gonzalo "How to Avoid a Brittle Failure in Columns" (in Spanish)

## 12 Contributors

|             |                                |
|-------------|--------------------------------|
| Name        | Luis Gonzalo Mejía             |
| Title       | Consulting Structural Engineer |
| Affiliation | L.G.M y Cia.                   |
| Address     | Calle 49b #79b - 12            |
| City        | Medellin                       |
| Zipcode     |                                |
| Country     | Colombia                       |
| Phone       | (574) 2342678                  |
| Fax         | (574) 4217661                  |
| Email       | lgm@epm.net.co                 |
| Webpage     |                                |



*FIGURE 1: Typical Building*





FIGURE 2: Key Load Bearing Elements



**PLAN OF TYPICAL BUILDING**

FIGURE 3: Plan of a Typical Building





FIGURE 4: Critical Structural Details



*FIGURE 5A: Poor Construction Practice- Beams constructed in one direction only.*



*FIGURE 5B: Poor Construction Practice- Beams constructed in one direction only.*



*FIGURE 5C: Poor Construction Practice - Inadequate splice length and location (100% splices at the column base).*



*FIGURE 5D: Poor Design - Combination of Concrete Frames and Unreinforced Masonry Walls or Pilasters*



*FIGURE 5E: Poor Design - Combination of Concrete Frames and Unreinforced Masonry Walls or Pilasters*



*FIGURE 5F: Playing with the laws of equilibrium*




*FIGURE 5G: Playing with the laws of equilibrium*



*FIGURE 5H: Poor Workmanship - Dirty groundwork and inappropriate column and bar anchorage*



*FIGURE 5I: Poor Construction Practice-Drains running across the girders. Stirrups are removed to allow for the pipeline passage*



*FIGURE 6A: Earthquake Damage- Collapsed Building*



*FIGURE 6B: Earthquake Damage- Reinforcement splices in the joint zone (Detail A).*




*FIGURE 6C: Earthquake Damage -Anchorage of beam reinforcement in the column cover area (it would be correct to anchor the reinforcement inside the joint), Detail B*



*FIGURE 6D: Earthquake Damage- Inadequate longitudinal and transverse reinforcement (note the collapsed first story)*




*FIGURE 6E: Collapsed building; Detail A shows too widely spaced stirrups*



*FIGURE 6F: Collapsed building; Detail A shows too widely spaced stirrups*



*FIGURE 6G: Collapsed 3-story building. (note the total lateral drift between the 2nd and 3rd floor)*



*FIGURE 6H: First storey column collapse due to the widely spaced stirrups and poor quality of aggregate*



*FIGURE 6I: Earthquake Damage- Very Slender Columns*



*FIGURE 6J: Earthquake Damage-Inadequate Column Splices*



*FIGURE 6K: Earthquake Damage-Inadequate Concrete Cover*






FIGURE 7A: Illustration of Seismic Strengthening Techniques



Strengthening technique 2: New longitudinal and transversal reinforcement is added in columns.

FIGURE 7B: Illustration of Seismic Strengthening Techniques



Strengthening technique 3: New longitudinal and transversal reinforcement is added in beams and columns.

FIGURE 7C: Illustration of Seismic Strengthening Techniques



New added longitudinal and transversal reinforcement



Anchorage of the new longitudinal reinforcement into the foundation



Epoxy injection of the cracks



Extraction of concrete cores

*FIGURE 7D: Seismic Strengthening Techniques - Field Implementation*



In some cases, new stirrups are installed to reinforce a beam-column joint. In this case, the existing concrete in the joint area must be carefully demolished.

*FIGURE 7E: Seismic Strengthening Techniques - Field Implementation*